




MEGASEW
Industrial sewing machine

Hardship,
a driving power
to raise me up



梅




The brand-new needle and top spreader threading design

The patented needle and top spreader threading design effectively reduces the operation danger caused by needle bar moving. The new threading design can improve the sewing quality greatly.

最新之針線供線系統

專利設計之針線及上飾線供線系統，去除針棒上層部位，防止車縫時針棒上下運動時之危險性，創新設計之收線系統，讓線跡更順暢漂亮。





Patented hidden oil seal

Special design of patented hidden oil seal can avoid the oil leakage problem.

內藏式三刮油封

內藏式三刮油封，能完全防止針棒處油污問題。

MJ2600D




DIRECT DRIVE

Built-in DIRECT DRIVE mini servo motor

Thanks to the Innovative and patented mechanical-electronical integration, it is easy to check the motor and do the maintenance.

內藏直驅式小馬達設計

創新專利機電一體設計，將迷你小馬達與機器結合在一起，內藏於機頭裡面，拆裝簡便，無須打開上蓋即可輕鬆拆裝，整體設計不但美觀又可省去外加裝的麻煩。



Low power consumption.

MJ2600D series is driven by direct drive servo motor which can save the power 35%~40% comparing to V-belt driven AC servo motor.

能耗小，可降低生產成本。

MJ2600D 自動切線系列，採直驅式小馬達設計，比傳統皮帶驅動系統，約可節能35% ~ 40%。

Other characteristics 其他特點



Patented " Hidden thread cam " design

Patented " Hidden thread cam " design offers a bigger space for operation and provides a perfect stitching stability.

內藏式打線凸輪設計

底線打線凸輪設計於機身內側，不佔用機身操作平台的空間，位處於供線器及下勾針中間之最佳位置，可讓線跡更穩定，更漂亮。




15° angle electric foot-lifter

Patented " 15° angle electric foot-lifter design " improves the Electric Foot-lifter working efficiency and durability.

斜壓式電動抬壓腳

15° 斜壓式電動抬壓腳設計，當下壓時可和連桿成正90°，可徹底防止電磁閥心軸下壓時，因單邊受力造成心軸磨損故障。



The hemming guide with the lighting bright board

Innovative and patented design of bright board with light under the fabric can help clearly see through the line between double and single ply fabric, and improve the sewing quality, productivity, and save the cost.

具透光功能之擋邊器--創新專利設計，可透光之折布邊功能，可清楚透視折布邊後雙層布及單層布之布邊線條，對生手車工可馬上提高品質和產能。



Built-in LED light(For servo motor models)

Built-in LED light design with 8 LED bulbs effectively improves the luminosity as well as reduces power consumption.

LED燈照明功能(伺服馬達系列)

內藏式照明設計，8粒LED燈泡，光線集中於操作空間處，可大大節省工廠照明電源。




MJ2600D-356/EWT(AWT)/Q
3 in 1 function
一機三功能



MJ2600D-356/EWT(AWT)
MJ2600D-356/EST(AST)
2 in 1 function with thread trimmer
一機二功能附自動剪線裝置




MJ2600D-356/MR/HG/VDA/EWT(AWT)
With left hand side fabric trimmer
附左切刀修布邊裝置




MJ2600D-356/MR/HG/VDA/EWT(AWT)/BT
With left hand side fabric trimmer (MR),
and belt-drive top feeder (BT)
附左切刀修布邊裝置(MR)、及皮帶式上送裝置(BT)




MJ2600D-356/MR/HG/VDA/EWT(AWT)/AF/BT
With left hand side fabric trimmer (MR),
auto hemming device (AF), and belt-drive top feeder (BT)
附左切刀修布邊裝置(MR)、自動摺下擺裝置(AF)、及皮帶式上送裝置(BT)




MJ2600D-356/FR/HG/VDA/EWT(AWT)/L1
Tubular waist band attaching
(with right hand side fabric trimmer)
環形褲頭包縫 (附右切刀修布邊裝置)



BT




AF



MR



AC



Cylinder bed high speed interlock stitch machine

橫筒型高速三針繡縫車

MJ2600D - 3 56 / AWT

Model 機種	
MJ2600D	Built-in Direct Drive computerized mini servo motor, cylinder bed high speed interlock stitch machine 內藏直驅電腦伺服小馬達，橫筒型高速三針繡縫車
MJ2600	Cylinder bed high speed interlock stitch machine (for clutch motor) 橫筒型高速三針繡縫車 (適合搭配普通離合器馬達)

Attachment 輔助件	
DCC	Double-colored coverstitching 上飾線雙色打網
Q	" 3 in 1 " function 三合一功能
MR	Left hand side fabric trimmer 左切刀修布邊裝置
FR	Right hand side fabric trimmer 右切刀修布邊裝置
L1	Rear puller (teeth type) 後拖輪 (齒輪)
L2	Rear Puller (flat type) 後拖輪 (平輪)
EWT	Electric automatic under thread trimmer 電動式自動切線裝置 (無上切刀組)
EST	Electric automatic under & top thread trimmers 電動式自動切線裝置 (有上切刀組)
AWT	Pneumatic under thread trimmer 氣動式自動切線裝置 (無上切刀組)
AST	Pneumatic under & top thread trimmers 氣動式自動切線裝置 (有上切刀組)
AC	Pneumatic tape cutting device 氣動式切帶裝置
AF	Auto hemming device 自動摺下擺裝置
BT	Belt drive top feeding device 皮帶式上送裝置
AH	Air-blower presser foot 吹氣式壓腳

Needle numbers 針數	Needle gauge 針寬
2 2 needles 2針	40 Width 4.0mm 寬4.0mm
	48 Width 4.8mm 寬4.8mm
3 3 needles 3針	56 Width 5.6mm 寬5.6mm
	64 Width 6.4mm 寬6.4mm
4 4 needles 4針	60 Width 6.0mm 寬6.0mm
	64 Width 6.4mm 寬6.4mm

3	5	5.6	1.4↔4.5	0.6↔1.4	6	UY128GAS#11	5000


Applications 用途								
Models 機型	Direct Drive mini servo motor 直驅式小馬達	Hemming 下擺	Double-colored coverstitching 上飾線雙色打網	Left hand side fabric trimming 左切刀修布邊	Seams covering 壓骨	Seams covering 壓骨	Tubular waist band attaching 環形褲頭包縫	For feeding elastic or lace 鬆緊帶或蕾絲車縫
MJ2600D-356/DCC/EWT(AWT)	●	●	●		●	●		
MJ2600D-356/EWT(AWT)	●	●			●	●		
MJ2600D-356/EST(AST)	●	●			●	●		
MJ2600D-356/MR/HG/VDA/EWT(AWT)	●	●		●				
MJ2600D-356/MR/HG/VDA/EWT(AWT)/BT	●	●		●				
MJ2600D-356/MR/HG/VDA/EWT(AWT)/AF/BT	●	●		●				
MJ2600D-356/FR/HG/VDA/AWT(EWT)/L1	●						●	
MJ2600D-356/FR/HG/VDA/EWT(AWT)/LF-E/AC	●							●

MING JANG SEWING MACHINE CO., LTD.
名匠縫紉機股份有限公司



Visit us at : <http://www.ming-jang.com>
www.megasew.com
Contact us at : service@ming-jang.com

Distributor:



The specification and/or appearances of the equipment described in the catalogue are subject to change without previous notice because of modification.
由於產品的改進及更新，本目錄中的規格及外觀修改恕不事先通知。

2025-03